

Final Compromise Amendments

Proposal for a Directive of the European Parliament and of the Council amending Council Directive 96/53/EC laying down for certain road vehicles circulating within the Community the maximum authorised dimensions in national and international traffic and the maximum authorised weights in international traffic (2023/0265(COD))

Rapporteur: Isabel García Muñoz

06.02.2024

COMPROMISE AMENDMENT 1 - INDIVISIBLE LOADS / ONE-STOP-SHOP

Supported by:

The following AMs are covered or fall: 16, 58, 59, 60, 61, 62, 63, 74, 75, 76, 77, 112, 133, 134, 135, 136, 137, 138, 139, 140, 184, 189, 190, 191, 192, 193, 194, 195, 209

Article 1 – paragraph 1 – point 3 – point b

Article 4 – paragraph 3 – second and third subparagraphs

Text proposed by the Commission

Member States shall ensure that the procedure for obtaining permits or similar arrangements for the transport of indivisible loads is smooth, efficient and non-discriminatory, by minimising administrative burdens and avoiding unnecessary delays.

Member States shall guarantee that the conditions under which the permits or similar arrangements related to the transport of indivisible loads are issued are proportionate and non-discriminatory. In particular, Member States shall cooperate to avoid the multiplicity of vehicle markings and signalling, and to favour the use of pictograms over text. Member States shall not impose language requirements related to the transport of indivisible loads.

Amendment

Member States shall ensure that the procedure for obtaining permits or similar arrangements for the transport of indivisible loads is smooth, efficient and non-discriminatory, by ***providing an EU common standard application form and by*** minimising administrative burdens and avoiding unnecessary delays.

Member States shall guarantee that the conditions under which the permits or similar arrangements related to the transport of indivisible loads are issued are proportionate and non-discriminatory. In particular, Member States shall ***issue the permits or similar arrangements in an electronic format and*** cooperate to ***further harmonise the permit issuing deadlines. Member States shall also cooperate to*** avoid the multiplicity of vehicle markings and signalling, and to favour the use of pictograms over text. ***Furthermore,*** Member States shall ***cooperate to harmonise the relevant rules for escorting transport of indivisible loads, such as on***

the prescribed use, markings and signs for escort vehicles. Member States shall not impose language requirements related to the drivers of transport of indivisible loads.

Member States shall ensure that the vehicles carrying indivisible loads display the EU label set out in Article 10ca.

Article 1 – paragraph 1 – point 4

Article 4a – paragraph 2

Text proposed by the Commission

2. The Commission *may* adopt implementing acts establishing *a* common standard application form and harmonising the rules and procedures for the issuing of national permits or similar arrangements referred to in paragraph 1 of this Article and in Article 4(3). Those implementing acts shall be adopted in accordance with the examination procedure referred to in Article 10i(2).

Amendment

2. The Commission *shall* adopt implementing acts establishing *an EU* common standard *permit* application form and harmonising the rules and procedures, *including regarding the necessary vehicle registration information*, for the issuing, *including in digital format*, of national permits or similar arrangements referred to in paragraph 1 of this Article and in Article 4(3), *as well as harmonising the relevant rules for escorting transport of indivisible loads*. Those implementing acts shall be adopted in accordance with the examination procedure referred to in Article 10i(2).

Recital 8

Text proposed by the Commission

(8) The transport of indivisible loads is an important market segment linked with the strategic areas of renewable energy, civil engineering and infrastructure, oil and gas, heavy industry and power generation sectors. Despite the recognised value of the existing European Best Practice Guidelines for Abnormal Transport, adopted by experts designated by the Member States, very little progress has been made towards the simplification and harmonisation of the rules and procedures to obtain permits for the transport of indivisible loads. Without prejudice to the right of Member States to establish the necessary conditions to ensure

Amendment

(8) The transport of indivisible loads is an important market segment linked with the strategic areas of renewable energy, civil engineering and infrastructure, oil and gas, heavy industry and power generation sectors. Despite the recognised value of the existing European Best Practice Guidelines for Abnormal Transport, adopted by experts designated by the Member States, very little progress has been made towards the simplification and harmonisation of the rules and procedures to obtain permits for the transport of indivisible loads. Without prejudice to the right of Member States to establish the necessary conditions to ensure

the safe transport of indivisible loads in their territories, Member States should cooperate to harmonise, to the extent possible, those requirements to avoid the multiplication of diverging conditions serving the same purpose. Member States should also ensure that national requirements are proportionate and non-discriminatory, refraining from imposing unjustified requirements such as fluency in the national language of the Member State concerned. To reduce administrative burden for operators and to ensure efficient, fair and safe operations, it is crucial to put in place a transparent, harmonised, user-friendly system for obtaining permits.

the safe transport of indivisible loads in their territories, Member States should cooperate to harmonise, to the extent possible, those requirements to avoid the multiplication of diverging conditions serving the same purpose. Member States should also ensure that national requirements are proportionate and non-discriminatory, refraining from imposing unjustified requirements such as fluency in the national language of the Member State concerned. To reduce administrative burden for operators and to ensure efficient, fair and safe operations, it is crucial to put in place a transparent, harmonised, user-friendly system for obtaining permits, ***that is available in all EU languages and is easily accessible by electronic communication means. These permits should be issued in an electronic format and be based on the Special European Registration of Trucks and Trailers (SERT) document, which aims to harmonise technical vehicle information such as the registration of trailers or modular trailers. Transport operators should be allowed to carry out transport operations of indivisible loads using this electronic document.***

Recital 23

Text proposed by the Commission

(23) In order to ensure uniform conditions for the implementation of this Directive, implementing powers should be conferred on the Commission to establish a common standard application form and harmonise the rules and procedures for the issuing of national permits or similar arrangements for vehicles or vehicle combinations which exceed the maximum weights and/or dimensions and are intended to carry indivisible loads, to establish a standard reporting format for Member States to comply with their reporting obligations, and to establish temporary exceptions from the application

Amendment

(23) In order to ensure uniform conditions for the implementation of this Directive, implementing powers should be conferred on the Commission to establish ***an EU*** common standard application form and harmonise the rules and procedures for the issuing of national permits or similar arrangements for vehicles or vehicle combinations which exceed the maximum weights and/or dimensions and are intended to carry indivisible loads, to establish a standard reporting format for Member States to comply with their reporting obligations, and to establish temporary exceptions from the application

of the weights and dimensions limits used in international traffic between Member States affected by a crisis. Those powers should be exercised in accordance with Regulation (EU) No 182/2011 of the European Parliament and of the Council⁴⁵.

of the weights and dimensions limits used in international traffic between Member States affected by a crisis. Those powers should be exercised in accordance with Regulation (EU) No 182/2011 of the European Parliament and of the Council⁴⁵.

COMPROMISE AMENDMENT 2 - VEHICLE TRANSPORTERS

Supported by:

The following AMs are covered or fall: 7, 28, 85, 86, 87, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223

Article 1 – paragraph 1 – point 7

Article 8c

Text proposed by the Commission

Vehicle transporters **with open bodies** may exceed the maximum lengths laid down in point 1.1 of Annex I while loaded, up to a total of 20,75 meters, using **authorised** load supports.

The **overhang or** load support of vehicle transporters may not protrude in relation to the load. The load may protrude in front of the towing vehicle up to a maximum of 0,5 meters, provided that the **first axle** of the transported vehicle rests on the **trailer** structure. The load may protrude from behind up to a maximum of 1,5 meters, provided that the **last** axle of the transported vehicle rests on the **trailer structure**;

Recital 14

Text proposed by the Commission

(14) Vehicle **carriers with** open bodies have very limited potential to reduce their energy consumption via improved aerodynamics. Diverging national rules on the overhanging of loads on vehicle

Amendment

Vehicle transporters may exceed the maximum lengths laid down in point 1.1 of Annex I while loaded, up to a total of 20,75 meters, using load supports, **such as extendable rear load supports**.

The load support of vehicle transporters may not protrude in relation to the **overhanging** load. The load may protrude in front of the towing vehicle up to a maximum of 0,5 meters, provided that **all of the axles** of the transported vehicle rest on the **vehicle** structure. The load may protrude from behind up to a maximum of 1,5 meters, provided that **at the most one** axle of the transported vehicle rests on the **rear load support**;

Amendment

(14) Vehicle **transporters, of which many have** open bodies, have very limited potential to reduce their energy consumption via improved aerodynamics. Diverging national rules on the

carriers cause distortions of competition and limit significantly *their* potential to improve operational efficiency and energy performance in international traffic. Therefore it is necessary to harmonise rules on the overhanging of loads of vehicle *carriers with open bodies*, so as to ensure that these objectives are properly met.

overhanging of loads on vehicle *transporters* cause distortions of competition and limit significantly *their* potential to improve operational efficiency and energy performance in international traffic. Therefore, it is necessary to harmonise rules on the overhanging of loads of vehicle *transporters* so as to ensure that these objectives are properly met.

COMPROMISE AMENDMENT 3 - CAB SIZE

Supported by:

The following AMs are covered or fall: 1, 89, 103, 224, 225, 226, 227, 228

Article 1 – paragraph 1 – point 8 – point a Article 9a – paragraph 1

Text proposed by the Commission

1. Vehicles or vehicle combinations which comply with Regulation (EU) 2018/858 may exceed the maximum lengths laid down in point 1.1 of Annex I to this Directive provided that their cabs deliver improved aerodynamic performance, energy efficiency *and* safety performance. Any excess of the maximum lengths allowed under this Article may also be used to install zero-emission technology. Vehicles or vehicle combinations equipped with such cabs shall comply with point 1.5 of Annex I to this Directive and any exceeding of the maximum lengths shall not result in an increase in the load capacity of those vehicles.

Amendment

1. Vehicles or vehicle combinations which comply with Regulation (EU) 2018/858 may exceed the maximum lengths laid down in point 1.1 of Annex I to this Directive provided that their cabs deliver improved aerodynamic performance, energy efficiency, safety performance *and driver comfort*. Any excess of the maximum lengths allowed under this Article may also be used to install zero-emission technology. Vehicles or vehicle combinations equipped with such cabs shall comply with point 1.5 of Annex I to this Directive and any exceeding of the maximum lengths shall not result in an increase in the load capacity of those vehicles.

Recital 6 a (new)

(6a) This Directive is intended to improve the competitiveness of the road transport sector by promoting more cost-efficient and sustainable transport operations as well as encouraging intermodality. Although the new provisions will translate into a reduction in the vehicle-kilometres driven, the acute shortage of drivers in the Union is expected to persist. In order to address this shortage, it is fundamental to urgently improve the working conditions for drivers of heavy duty vehicles. The lack of quality truck parking areas in the Union adds to the deterioration of the working conditions of truck drivers, which is especially a problem during long-distance journeys.

In order to address this situation and enhance the attractiveness of the sector, the increased dimensions required to install zero-emission technologies in vehicles should not be at the expense of sufficient cabin space and should improve the comfort of drivers. Where possible, concepts enabling additional space in the cabins for the installation of sanitary facilities on-board should be explored and incentivised.

COMPROMISE AMENDMENT 4 - ENFORCEMENT

Supported by:

The following AMs are covered or fall: 10, 11, 12, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 42, 96, 97, 98, 99, 100, 101, 102, 210, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 251

Article 1 – paragraph 1 – point 5 – point aa (new)

Article 6 – paragraph 4

Present text

Amendment

(aa) paragraph 4 is replaced by the

4. Vehicles carrying proof of compliance **may** be subject:

- as regards common standards on weights, to random checks,
- as regards common standards on dimensions, **only** to checks where there is a suspicion of non-compliance with this Directive.

Article 1 – paragraph 1 – point 13 – point a
Article 10d – paragraph 1

Text proposed by the Commission

Member States shall take specific measures to **identify** vehicles or vehicle combinations in circulation that **are likely to have exceeded** the maximum authorised weight **and that should therefore be checked by their competent authorities** in order to ensure compliance with the requirements of this Directive. Those measures **may be taken with the aid of** automatic systems set up on the road infrastructure, **or by means of on-board weighing equipment installed in vehicles** in accordance with **paragraph 4**.

If a Member State chooses to set up **automatic systems** on the road infrastructure, **it shall ensure as a minimum the deployment of such systems in the trans-European road transport network set out in Regulation (EU) 1315/2013***.

A Member State shall not require on-board weighing equipment to be installed on vehicles or vehicle combinations which are registered in another Member State.

Without prejudice to Union and national law, **where** automatic systems **are used to**

following:

4. Vehicles carrying proof of compliance **shall** be subject:

- as regards common standards on weights, to random checks,
- as regards common standards on dimensions, to checks where there is a suspicion of non-compliance with this Directive.

Amendment

Member States shall take specific measures to **detect** vehicles or vehicle combinations in circulation that **exceed** the maximum authorised weight in order to ensure compliance with the requirements of this Directive, **including compliance with the requirements of special permits**. Those measures **shall include establishing** automatic systems set up on the road infrastructure **ensuring as a minimum a deployment** in accordance with **Regulation (EU) 1315/2013***. **Member States shall establish certified automatic systems along the core network in the trans-European road transport network defined in Regulation (EU) 1315/2013.**

In addition to the use of automatic systems set up on the road infrastructure, **Member States may identify vehicles or vehicle combinations in circulation that are likely to have exceeded the maximum authorised weights by means of on-board weighing equipment installed in vehicles in accordance with paragraph 4 or by means of road-side checks.**

A Member State shall not require on-board weighing equipment to be installed on vehicles or vehicle combinations which are registered in another Member State.

Without prejudice to Union and national law, **Member States may use the certified**

establish infringements of this Directive and to impose penalties, such automatic systems shall be certified. Where automatic systems are used only for identification purposes, they need not be certified.

automatic systems *to impose penalties in respect of* infringements of this Directive.

Certified automatic systems shall be linked to the single national entry point for special permits or similar arrangement set out in Article 4a in order to be able to recognise vehicles or vehicle combinations which exceed the maximum authorised weights and are in possession of a special permit, as well as those that exceed the authorised weights permitted under the special permit.

Article 1 – paragraph 1 – point 13 – point a
Article 10d – paragraph 2

Text proposed by the Commission

Each Member State shall carry out each calendar year at least six checks per one million vehicle-kilometres travelled by vehicles or vehicle combinations used for the transport of goods and falling within the scope of this Directive in its territory on the weights of those vehicles or vehicle combinations, irrespective of the country of registration of such vehicles or of the country where such vehicles were put into circulation. The compliance checks shall include an appropriate number of checks performed at night time.’;

Amendment

Each Member State shall carry out each calendar year at least six checks per one million vehicle-kilometres travelled by vehicles or vehicle combinations used for the transport of goods and falling within the scope of this Directive in its territory on the weights of those vehicles or vehicle combinations, irrespective of the country of registration of such vehicles or of the country where such vehicles were put into circulation. The compliance checks shall include an appropriate number of checks performed at night time at night time.’;

Article 1 – paragraph 1 – point 14
Article 10da

Text proposed by the Commission

1. Member States may implement Intelligent Access Policy (IAP) schemes within their territories to regulate, monitor and ease the access by heavy-duty vehicles to specific roads or areas.

For the purposes of this Article, an

Amendment

1. Member States may implement Intelligent Access Policy (IAP) schemes within their territories to regulate, monitor and ease the access by heavy-duty vehicles to specific roads or areas.

For the purposes of this Article, an

‘intelligent access policy’ shall mean a technical and functional framework to manage heavy-duty vehicle access to the road network, through the use of telematics, to ensure compliance with the applicable rules on weights and dimensions.

2. **When a Member State implements IAP pursuant to paragraph 1, it** shall ensure that their IAP schemes comply with Directive 2010/40/EU of the European Parliament and of the Council*. In particular, Member States shall ensure that data related to the IAP scheme and falling within the scope of Directive 2010/40/EU, including weight, length, width or height restrictions, are available in digital machine-readable format and made accessible via the National Access Points established under Delegated Regulation (EU) 2022/670**.

3. When **a Member State implements** IAP schemes pursuant to paragraph 1, **it** shall:

(a) define the criteria for granting access to heavy-duty vehicles, including but not limited to vehicle weight, length, technical specifications, and compliance with specific safety standards;

(b) favour the use of advanced intelligent transport systems to enhance safety and efficiency and reduce congestion in road transport operations affected by the IAP schemes;

(c) establish a comprehensive information and communication system to inform operators of heavy-duty vehicles about the IAP scheme requirements, application procedures, and any updates or changes to

‘intelligent access policy’ shall mean a technical and functional framework to manage heavy-duty vehicle access to the road network, through the use of telematics, to ensure compliance with the applicable rules on weights and dimensions.

2. Member **States** shall ensure that their IAP schemes comply with Directive 2010/40/EU of the European Parliament and of the Council*. In particular, Member States shall ensure that data related to the IAP scheme and falling within the scope of Directive 2010/40/EU, including weight, length, width or height restrictions, are available in digital machine-readable format and made accessible via the National Access Points established under Delegated Regulation (EU) 2022/670**.

Member States shall also ensure that the IAP scheme is linked to the single national entry point for special permits or similar arrangement set out in Article 4a in order to be able to recognise vehicles or vehicle combinations which exceed the maximum authorised weights and/or dimensions and are in possession of a special permit.

3. When **implementing** IAP schemes pursuant to paragraph 1, **Member States** shall:

(a) define the criteria for granting access to heavy-duty vehicles, including but not limited to vehicle weight, length, **height**, technical specifications, and compliance with specific safety standards;

(b) favour the use of advanced intelligent transport systems to enhance safety and efficiency and reduce congestion in road transport operations affected by the IAP schemes;

(c) establish a comprehensive information and communication system to inform operators of heavy-duty vehicles about the IAP scheme requirements, application procedures, and any updates or changes to

the scheme;

the scheme;

(ca) refrain from discriminatory or disproportionate restrictions on the free movement of goods and services and from unduly impeding the proper functioning of the internal market.

4. The establishment of IAP schemes by a Member State shall not give rise to discriminatory or disproportionate restrictions on the free movement of goods and services and shall not unduly impede the smooth functioning of the internal market.

deleted

Article 1 – paragraph 1 – point 16

Article 10g – paragraph 1 – subparagraph 1 – point c

Text proposed by the Commission

Amendment

(c) the number and location of automatic systems set up on the road infrastructure pursuant to Article 10d(1), **and whether they are for identification purposes only or** certified for direct enforcement;

(c) the number and location of automatic systems set up on the road infrastructure pursuant to Article 10d(1) certified for direct enforcement;

Article 1 – paragraph 1 – point 16

Article 10g – paragraph 2

Text proposed by the Commission

Amendment

2. The Commission shall analyse the information received pursuant to paragraph 1, and on the basis of the information received, present a report to the European Parliament and the Council on the **implementation** of this Directive, no later than **13** months after receiving the information from all Member States. Such report shall include information on relevant developments in the fields in question.

2. The Commission shall analyse the information received pursuant to paragraph 1, and, on the basis of the information received, **issue, where appropriate, recommendations to Member States. Where the Commission issues such recommendations, the Member State concerned shall, within 6 months of their issuance, inform the Commission of how it intends to implement these recommendations. The Commission shall** present a report to the European Parliament and the Council on the **compliance with**

requirements of this Directive, no later than **12** months after receiving the information from all Member States. Such report shall include information on relevant developments in the fields in question.

Recital 17

Text proposed by the Commission

(17) Effective, efficient, and consistent enforcement of the rules is of utmost importance to ensure undistorted competition between operators and eliminate risks to road safety and to road infrastructure posed by vehicles unlawfully exceeding the applicable weights or dimensions. To better target roadside controls at overloaded vehicles, ***and if they choose to use automatic systems on the road infrastructure***, Member States should ensure as a minimum the deployment of ***such*** systems in the trans-European road transport network. Moreover, for reliability and consistency of the enforcement across the Union, the mandatory minimum level of controls to be performed by Member States should be established in proportion to the level of traffic on their territories by the vehicles within scope of this Directive, including an appropriate number of controls during night hours.

Amendment

(17) Effective, efficient, and consistent enforcement of the rules is of utmost importance to ensure undistorted competition between operators and eliminate risks to road safety and to road infrastructure posed by vehicles unlawfully exceeding the applicable weights or dimensions. To better target roadside controls at overloaded vehicles, Member States should ensure as a minimum the deployment of ***automatic*** systems in the trans-European road transport network, ***including certified ones on the TEN-T core network. Additionally, it should also be possible to use accurate and fully interoperable on-board weighting equipment. Such certified automatic systems should be able to recognise vehicles or vehicle combinations which exceed the maximum authorised weights, but have a derogation for it based on a valid special permit or a similar arrangement. The systems should also be able to detect if the requirements of special permits are being met. This is expected to avoid unjustified penalties and save administrative costs for both operators and Member States.*** Moreover, for reliability and consistency of the enforcement across the Union, the mandatory minimum level of controls to be performed by Member States should be established in proportion to the level of traffic on their territories by the vehicles within scope of this Directive, including an appropriate number of controls during night hours.

Recital 18

Text proposed by the Commission

(18) To further step up enforcement and monitoring of the circulation of heavy-duty vehicles on the Union's roads, reduce congestion, enhance road safety, reduce risks of damage to infrastructure and promote sustainable transport operations, Member States should be encouraged to establish Intelligent Access Policy schemes that ensure compliance with rules on the maximum authorised weights and dimensions. **When establishing such schemes**, Member States should apply minimum common requirements to guarantee harmonisation and interoperability across the EU, in particular as regards accessibility and format of relevant data to be exchanged. The schemes should help to ensure that the right vehicle with the right cargo, operates on the right road, and at the right time to secure minimum impact on environment, infrastructure, human health and safety, and society. The establishment of such schemes should make use of advanced intelligent transport systems, such as vehicle-to-infrastructure communication, vehicle-to-network communication, real-time data sharing and remote monitoring, in order to ensure safe and smooth traffic of heavy-duty vehicles and they should not lead to disproportionate or discriminatory traffic restrictions.

Recital 18 a (new)

Text proposed by the Commission

Amendment

(18) To further step up enforcement and monitoring of the circulation of heavy-duty vehicles on the Union's roads, reduce congestion, enhance road safety, reduce risks of damage to infrastructure and promote sustainable transport operations, Member States should be encouraged to establish Intelligent Access Policy schemes that ensure compliance with rules on the maximum authorised weights and dimensions. Member States should apply minimum common requirements **to such schemes in order** to guarantee harmonisation and interoperability across **the Union**, in particular as regards accessibility and format of relevant data to be exchanged. **The relevant data should be accessible in real-time and in the official languages of the Union.** The schemes should help to ensure that the right vehicle with the right cargo, operates on the right road, and at the right time to secure minimum impact on environment, infrastructure, human health and safety, and society. The establishment of such schemes should make use of advanced intelligent transport systems, such as vehicle-to-infrastructure communication, vehicle-to-network communication, real-time data sharing and remote monitoring, in order to ensure safe and smooth traffic of heavy-duty vehicles and they should not lead to disproportionate or discriminatory traffic restrictions.

Amendment

(18a) The enforcement of Directive 96/53/EC is an essential part of the well-established monitoring and enforcement systems at Union and national level which contribute to the implementation of the Union's social, market and technical

rules applicable to road transport. When non-compliance with the prescribed weights and dimensions requirements is detected, enforcement actions are to be taken by the competent national authorities. Member States should ensure that the penalties are non-discriminatory both as regards the types of penalty chosen and their levels, and that they are effective, dissuasive and proportionate to the seriousness of the infringement committed. Those infringements should be recorded in the national register of road transport undertakings, exchanged via the European Register of Road Transport Undertakings (ERRU) and reflected in the risk rating score of the undertakings in line with Regulation 1071/2009. It is expected that cross-border implementation of sanctions within the scope of Directive 96/53/EC will be facilitated through an amended Directive 2015/413 on Cross-Border Enforcement.

COMPROMISE AMENDMENT 5 - TRANSPOSITION

Supported by:

The following AMs are covered or fall: 258, 259, 260, 261

Article 3 – paragraph 1

Text proposed by the Commission

1. Member States shall adopt and publish, by [date-of-adoption+2 years] at the latest, the laws, regulations and administrative provisions necessary to comply with this Directive. They shall forthwith communicate to the Commission the text of those provisions. When Member States adopt those provisions, they shall contain a reference to this Directive or be accompanied by such reference on the occasion of their official publication. Member States shall determine how such reference is to be made.

Amendment

1. Member States shall adopt and publish, by [date-of-adoption+1 year] at the latest, the laws, regulations and administrative provisions necessary to comply with this Directive. They shall forthwith communicate to the Commission the text of those provisions. When Member States adopt those provisions, they shall contain a reference to this Directive or be accompanied by such reference on the occasion of their official publication. Member States shall determine how such reference is to be made.

COMPROMISE AMENDMENT 6 - CRISIS

Supported by:

The following AMs are covered or fall: 14, 47, 109, 111, 255

Article 1 – paragraph 1 – point 20

Article 10k – paragraph 1

Text proposed by the Commission

In case of a crisis, where the public interest requires it, and provided that road safety is not thereby jeopardised, Member States may grant temporary exceptions from the application of the weights and dimensions limits set out in Annex I for vehicles used in national traffic, for a period not exceeding two months.

Amendment

In case of a crisis, where the public interest requires it, and provided that road safety is not thereby jeopardised, Member States may grant temporary exceptions from the application of the weights and dimensions limits set out in Annex I for vehicles used in national traffic, for a period not exceeding two months. ***This period may be renewed only where the crisis persists.***

Article 1 – paragraph 1 – point 20

Directive 96/53/EC

Article 10k – fourth subparagraph

Text proposed by the Commission

For the purposes of this Article, a crisis means an exceptional, unexpected and sudden, natural or man-made event of extraordinary nature and scale that takes place inside or outside of the Union, with significant direct or indirect impacts on the area of road transport or the economy or welfare of the Union citizens, where the normal functioning of society is significantly disrupted, and where the public interest requires urgent action to be taken.;

Amendment

For the purposes of this Article, a crisis means an exceptional, unexpected and sudden, natural or man-made event of extraordinary nature and scale that takes place inside or outside of the Union, with significant direct or indirect impacts on the area of road transport or the economy or welfare, ***including safety***, of the Union citizens, where the normal functioning of society is significantly disrupted, and where the public interest requires urgent action to be taken.;

Recital 21

Text proposed by the Commission

(21) To enable a swift response of the road transport sector to any crisis, such as natural disasters, pandemics, military conflicts or infrastructure failures, there is a need to introduce an emergency clause to Directive 96/53/EC, which enables temporarily the circulation of heavy-duty vehicles exceeding the maximum permitted weights and/or dimensions, in order to ensure a continued supply of necessary goods and services. Such exceptional clause should be applied only where the public interest requires it, **and** provided that road safety is not thereby jeopardised.

Amendment

(21) To enable a swift response of the road transport sector to any crisis, such as natural disasters, pandemics, military conflicts or infrastructure failures, there is a need to introduce an emergency clause to Directive 96/53/EC, which enables temporarily the circulation of heavy-duty vehicles exceeding the maximum permitted weights and/or dimensions, in order to ensure a continued supply of necessary goods and services. Such exceptional clause should be applied only where the public interest requires it, provided that road safety is not thereby jeopardised **and its possible renewal should be conditional upon the persistence of the crisis.**

COMPROMISE AMENDMENT 7 - EU PORTAL

Supported by:

The following AMs are covered or fall: 5, 25, 26, 48, 72, 186, 187, 188

Article 1 – paragraph 1 – point 4

Article 4a – paragraph 1 – point c a (new)

Text proposed by the Commission

Amendment

(ca) a single national access point to obtain information, in a clear, accessible, and transparent manner, regarding national maximum authorised dimensions and weights of vehicles, as well as any restrictions, including on height, in specified areas or on specific roads.

Article 1 – paragraph 1 – point 4

Article 4a – paragraph 1 a (new)

Text proposed by the Commission

Amendment

1a. By [6 months after the date of

transposition of this Directive], the Commission shall establish, and thereafter manage, a dedicated and up-to-date European web portal, available in all official languages of the Union, connecting, in a clear, accessible, and transparent manner, the national electronic and communications systems, referred to in paragraph 1. This European portal shall also make publicly available, in an accessible and transparent way, the parts of the road network where European Modular Systems, and, where available, vehicles transporting indivisible loads, can circulate.

Article 1 – paragraph 1 – point 20

Article 10k – paragraph 2

Text proposed by the Commission

Any such exception shall be duly reasoned and notified immediately to the Commission. The Commission shall immediately publish the information on the granted exception on its official website.

Amendment

Any such exception shall be duly reasoned and notified immediately to the Commission. The Commission shall immediately publish the information on the granted exception on its official website **and on the dedicated European web portal referred to in Article 4a(1a).**

Recital 11

Text proposed by the Commission

(11) The transport of indivisible loads carried out by vehicles or vehicle combinations exceeding the maximum weights or dimensions and the use of EMS, given their needs for additional safety features and for suitable infrastructure, require that special attention is given to elements such as transparency of relevant information, legal certainty and harmonisation of the permit processes. It is therefore necessary for Member States to establish a single electronic information and communication system containing all the relevant information regarding the operational and administrative conditions

Amendment

(11) The transport of indivisible loads carried out by vehicles or vehicle combinations exceeding the maximum weights or dimensions and the use of EMS, given their needs for additional safety features and for suitable infrastructure, require that special attention is given to elements such as transparency of relevant information, legal certainty and harmonisation of the permit processes. It is therefore necessary for Member States to establish a single electronic information and communication system containing all the relevant information regarding the operational and administrative conditions

for the transport of indivisible loads and for the use of EMS, in a clear and easily accessible manner. This national system should also enable the operators to obtain the information and submit electronically the application, in *a* standardised format, for special permits for the carriage of indivisible loads in the Member State concerned.

for the transport of indivisible loads and for the use of EMS, in a clear and easily accessible manner. This national system should also enable the operators to obtain the information and submit electronically the application, in *an EU* standardised format, for special permits for the carriage of indivisible loads in the Member State concerned. ***In addition, that national system should provide information on the national maximum authorised dimensions and weights of vehicles and vehicle combinations, information on possible restrictions, in particular on height. To ensure that operators and citizens can access all relevant information in one place, a dedicated European web portal connecting the national electronic and communication systems and providing, among others, a clear graphic overview of the roads on which EMS, and, where available, vehicles transporting indivisible loads, are allowed to circulate in the relevant Member States, should be established by the Commission, at the latest by [6 months after the date of transposition of this Directive].***

COMPROMISE AMENDMENT 8 - EU LABEL

Supported by:

The following AMs are covered or fall: 9, 30, 43, 44, 45, 48

Article 1 – paragraph 1 – point 12 a (new)

Article 10 c a (new)

Text proposed by the Commission

Amendment

(12a) the following Article 10ca is inserted :

Article 10ca

1. In order to increase road safety and to avoid a multiplicity of vehicle markings and signalling, a single EU label for the length of motor vehicles or vehicle combinations in circulation used in EMS

operations or with dimensions deviating from those laid down in points 1.1, 1.2, 1.4 to 1.8, 4.2 and 4.4 of Annex I is hereby established.

2. Member States shall take the necessary measures to ensure that all motor vehicles or vehicle combinations referred to in paragraph 1 display the EU label clearly and visibly at the rear of their motor vehicle or vehicle combination.

3. By [1 year after the date of entry into force], the Commission shall adopt a delegated act in accordance with Article 10h to supplement this Directive by setting out the detailed standards, requirements and other provisions, for the labels and their issuing and display, favouring the use of pictograms over text.

Article 1 – paragraph 1 – point 17
Article 10h – paragraph 2

Text proposed by the Commission

(17) In Article 10h, paragraph 2 is replaced by the following:

2. The power to adopt delegated acts referred to in **Articles 4(5a) and 10b(1)** shall be conferred on the Commission for a period of 5 years from [PO please insert date of entry into force of this Directive]. The Commission shall draw up a report in respect of the delegation of power not later than 9 months before the end of the 5-year period. The delegation of power shall be tacitly extended for periods of an identical duration, unless the European Parliament or the Council opposes such extension not later than 3 months before the end of each period.;

Article 1 – paragraph 1 – point 17
Article 10h – paragraph 3

Amendment

(17) In Article 10h, paragraphs 2, **3 and 5 are** replaced by the following:

2. The power to adopt delegated acts referred to in **Article 4(5a), Article 10b(1) and Article 10ca** shall be conferred on the Commission for a period of 5 years from [PO please insert date of entry into force of this Directive]. The Commission shall draw up a report in respect of the delegation of power not later than 9 months before the end of the 5-year period. The delegation of power shall be tacitly extended for periods of an identical duration, unless the European Parliament or the Council opposes such extension not later than 3 months before the end of each period.;

Present text

3. The delegation of power referred to in Article **10b** may be revoked at any time by the European Parliament or by the Council. A decision to revoke shall put an end to the delegation of the power specified in that decision. It shall take effect the day following the publication of the decision in the Official Journal of the European Union or at a later date specified therein. It shall not affect the validity of any delegated acts already in force.

Article 1 – paragraph 1 – point 17

Article 10h – paragraph 5

Present text

5. A delegated act adopted pursuant to **Article 10b** shall enter into force only if no objection has been expressed either by the European Parliament or the Council within a period of 2 months of notification of that act to the European Parliament and the Council or if, before the expiry of that period, the European Parliament and the Council have both informed the Commission that they will not object. That period shall be extended by 2 months at the initiative of the European Parliament or of the Council.

Recital 16 a (new)

Text proposed by the Commission

Amendment

3. The delegation of power referred to in **Article 4(5a), Article 10b(1) and Article 10ca** may be revoked at any time by the European Parliament or by the Council. A decision to revoke shall put an end to the delegation of the power specified in that decision. It shall take effect the day following the publication of the decision in the Official Journal of the European Union or at a later date specified therein. It shall not affect the validity of any delegated acts already in force.

Amendment

5. A delegated act adopted pursuant to **Articles 4(5a), 10b(1) and 10ca** shall enter into force only if no objection has been expressed either by the European Parliament or the Council within a period of 2 months of notification of that act to the European Parliament and the Council or if, before the expiry of that period, the European Parliament and the Council have both informed the Commission that they will not object. That period shall be extended by 2 months at the initiative of the European Parliament or of the Council.

Amendment

(16a) The multiplicity of different vehicle markings and signalling in Member States can be confusing for road users and detrimental for road safety in the Union. In order to improve road safety, a standardised EU label for the length of motor vehicles or vehicle combinations used in EMS or which

deviate from standard dimensions should be established at Union level. That EU label would help road users to identify and familiarise themselves with such vehicles and would reduce any risks arising from visibility restrictions or blind spots, for example when overtaking such long vehicles or vehicle combinations.

COMPROMISE AMENDMENT 9 - REVENUES

Supported by:

The following AMs are covered or fall: 13, 40, 249

Article 1 – paragraph 1 – point 14 a (new)

Article 10e – paragraph 1 a (new)

Text proposed by the Commission

Amendment

(14a) In Article 10e, the following new paragraph is added:

Member States shall be encouraged to use the revenues generated from these penalties, or the equivalent in financial value of those revenues, to develop and support the market uptake of sustainable transport means, finance its infrastructure and smart enforcement systems, encourage intermodal transport operations, and increase the sustainability of cross-border transport operations.

Recital 18 b (new)

Text proposed by the Commission

Amendment

(18b) In order to make progress in the green and digital transitions and to comply with the objectives set in the European Green Deal and the Sustainable and Smart Mobility Strategy, particularly as regards the GHG emission reductions from the transport sector, Member States should be encouraged to use the revenues generated from the

penalties applicable to the infringements of this Directive, or the equivalent in financial value of those revenues, to support the uptake of sustainable transport means and hence mitigate the external costs generated by transport operations, encourage intermodality, and increase the sustainability of cross-border transport operations.

COMPROMISE AMENDMENT 10 - TRIALS + EMS

Supported by:

The following AMs are covered or fall: 2, 3, 4, 17, 18, 19, 20, 21, 22, 23, 24, 64, 65, 66, 67, 68, 69, 70, 71, 110, 116, 117, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 166, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 252

Article 1 – paragraph 1 – point 2 – point c

Article 2 – fifth indent

Text proposed by the Commission

— ‘European Modular System’ shall mean a motor vehicle or vehicle combination coupled to one or more trailers or semitrailers where the total combination exceeds the maximum authorised length and may exceed the maximum authorised weights laid down in Annex I and where the individual motor vehicle, trailer(s) and semitrailer(s) do not exceed the weights or dimensions laid down in Annex I;

Amendment

— ‘European Modular System’ shall mean a motor vehicle or vehicle combination coupled to one or more trailers or semitrailers where the total combination exceeds the maximum authorised length and may exceed the maximum authorised weights laid down in Annex I and where the individual motor vehicle, trailer(s) and semitrailer(s) do not exceed the weights or dimensions laid down in Annex I;

Article 1 – paragraph 1 – point 3 – point c

Article 4 – paragraph 4a

Text proposed by the Commission

4a. Member States may allow the circulation in their territories in national and international traffic of European Modular Systems subject to all of the following conditions:

(a) the Member States shall make publicly available, in an accessible and transparent way, the information related to the maximum weights and dimensions applicable to the circulation of European Modular Systems in their territories;

(b) the Member States shall make publicly available, in an accessible and transparent way, the information related to the part of the road network where European Modular Systems can circulate;

(c) the Member States shall ensure the connectivity of the part of the network where European Modular Systems can circulate in their territories with the road network of neighbouring Member States that also allow the circulation of European Modular Systems, in order to enable cross-border traffic;

(d) the Member States shall *set* a monitoring system **and assess the** impact of European Modular Systems on road safety, on the road infrastructure, on modal cooperation, as well as the environmental impacts of European Modular Systems on

Amendment

4a. Member States may allow the circulation in their territories in national and international traffic of European Modular Systems subject to all of the following conditions:

(-a) For new EMS routes, the Member States shall make a prior assessment of the possible impact of European Modular Systems on road safety, on the road infrastructure, on modal cooperation, as well as the environmental impacts of European Modular Systems on the transport system, including the impacts on modal split. The assessment shall be made publicly available. Member States that have already established EMS routes in their territory at the date of the entry into force of this Directive, are not required to make a prior assessment for these already established routes;

(a) the Member States shall make publicly available, in an accessible and transparent way, the information related to the maximum weights and dimensions applicable to the circulation of European Modular Systems in their territories;

(b) the Member States shall make publicly available, in an accessible and transparent way, the information related to the part of the road network where European Modular Systems can circulate;

(c) the Member States shall ensure the connectivity of the part of the network where European Modular Systems can circulate in their territories with the road network of neighbouring Member States that also allow the circulation of European Modular Systems, in order to enable cross-border traffic;

(d) the Member States shall **establish** a monitoring system **of** impact of European Modular Systems on road safety, on the road infrastructure, on modal cooperation, **on traffic volumes**, as well as the environmental impacts of European

the transport system, including the impacts on modal split.

Whenever a Member State allows, pursuant to this paragraph, the circulation of European Modular Systems in national traffic, it may not reject or prohibit the circulation in its territory of European Modular Systems in international traffic, provided that such systems do not exceed the maximum weights and dimensions set for European Modular Systems in national traffic.

Member States shall *inform* the Commission in *case* they allow the circulation in their territories of European Modular Systems.;

Modular Systems on the transport system, including the impacts on modal split, *taking into account the prior assessment performed under point (-a);*

(da) the Member States shall ensure that appropriate measures are taken to avoid any possible negative impacts on road safety, including the safety of vulnerable road users, as a result of use of European Modular Systems.

Member States may establish minimum requirements or a certification scheme for the drivers of European Modular Systems, provided that they ensure proportionality and non-discrimination. Member States shall cooperate to mutually recognise each other's certifications.

Whenever a Member State allows, pursuant to this paragraph, the circulation of European Modular Systems in national traffic, it may not reject or prohibit the circulation in its territory of European Modular Systems in international traffic, provided that such systems do not exceed the maximum weights and dimensions set for European Modular Systems in national traffic.

Member States shall *notify* the Commission in *case* they allow the circulation in their territories of European Modular Systems *and inform it how they fulfil the conditions set out in points (-a) to (da) of this paragraph. Following such notifications, the Commission shall, where appropriate, issue recommendations to those Member States to ensure the compliance with these conditions. Where the Commission issues recommendations, the Member State concerned shall, within 6 months, inform the Commission of how it intends to implement those recommendations. The Commission recommendations and responses by the Member State shall be made publicly available.*

Article 1 – paragraph 1 – point 3 – point d

Article 4 – paragraph 5 – first subparagraph

Text proposed by the Commission

Member States may allow for a limited period of time trials of vehicles or vehicle combinations incorporating new technologies or new concepts which cannot comply with requirements of this Directive. Such vehicles or vehicle combinations shall be allowed to carry out certain national or international transport operations for the trial period. In particular, trials with European Modular Systems shall be allowed for a maximum of five years. The number of trials shall not be limited. Member States shall inform the Commission thereof.

Amendment

Member States may allow for a limited period of time trials of vehicles or vehicle combinations incorporating new technologies or new concepts which cannot comply with requirements of this Directive. Such vehicles or vehicle combinations shall be allowed to carry out certain national or international transport operations for the trial period ***only after demonstrating that the targeted transport activities cannot be conducted by any other form of transport that offers similar or superior safety and environmental benefits. It must be proven that this does not have a significant impact on intermodal competition in the transportation industry as a whole.*** In particular, trials with European Modular Systems shall be allowed for a maximum of five years ***and can be renewed once for a maximum of three years. If a Member State decides to renew a trial, it shall provide sufficient justification to the Commission.*** The number of trials shall not be limited. Member States shall inform the Commission thereof.

Article 1 – paragraph 1 – point 3 – point e
Article 4 – paragraph 5a

Text proposed by the Commission

5a. The Commission shall be empowered to adopt delegated acts in accordance with Article 10h to supplement this Directive by determining the minimum sets of data and the performance indicators to be provided by the monitoring systems set up by the Member States as referred to in paragraphs 4a, point (d), and 5 of this Article.;

Amendment

5a. The Commission shall be empowered to adopt delegated acts in accordance with Article 10h to supplement this Directive by determining the minimum sets of data and the performance indicators to be provided by the ***prior assessments and*** monitoring systems set up by the Member States as referred to in paragraphs 4a, points ***(-a) and*** (d), and 5 of this Article.;

Recital 9

Text proposed by the Commission

(9) European Modular Systems (EMS) have been used and trialled at length and have proven to be an interesting solution to improve the economic and energy efficiency of transport operations, while ensuring road safety and protection of infrastructure, thanks to their confinement to adequate parts of the road networks. Given national specificities, different economic interests, transportation needs and diverse transport infrastructure capacities in Member States, they are best placed to assess and authorise the circulation of EMS on their territories. At the same time, to enlarge the positive socio-economic and environmental impacts of the use of EMS, it is crucial to remove unnecessary barriers to their use in cross-border operations between neighbouring Member States that allow such vehicle combinations on their territories, without limitation in the number of borders crossed as long as they comply with the maximum authorised weights and dimensions for EMS established by Member States within their respective territories. This is to ensure that EMS used in cross-border operations comply with the common lowest weight and dimension limit for EMS applicable in those Member States. In the interests of safety of operations, transparency and legal clarity, common conditions should be established for the circulation of EMS in national and international traffic, including **providing** clear information on the weights and dimensions limits for EMS **and** on parts of the road network compatible with specifications of such vehicles, **and** monitoring the impacts of the use of EMS on road safety, on the road infrastructure, on modal cooperation, as well as the environmental impacts of European Modular Systems on the transport system, including the impacts on modal share.

Amendment

(9) European Modular Systems (EMS) have been used and trialled at length and have proven to be an interesting solution to improve the economic and energy efficiency of transport operations, while ensuring road safety and protection of infrastructure, thanks to their confinement to adequate parts of the road networks. Given national specificities, different economic interests, transportation needs and diverse transport infrastructure capacities in Member States, they are best placed to assess and authorise the circulation of EMS on their territories. ***Before authorising EMS, Member States should carry out a prior assessment for new routes of their possible impact on road safety, infrastructure, modal cooperation, modal shift and the environment.*** At the same time, to enlarge the positive socio-economic and environmental impacts of the use of EMS, it is crucial to remove unnecessary barriers to their use in cross-border operations between neighbouring Member States that allow such vehicle combinations on their territories, without limitation in the number of borders crossed as long as they comply with the maximum authorised weights and dimensions for EMS established by Member States within their respective territories. This is to ensure that EMS used in cross-border operations comply with the common lowest weight and dimension limit for EMS applicable in those Member States. In the interests of safety of operations, transparency and legal clarity, common conditions should be established for the circulation of EMS in national and international traffic. ***Those conditions should inter alia ensure that EMS circulate on roads where the safety of vulnerable road users is guaranteed. Member States should provide*** clear information on the weights and dimensions

limits for EMS on parts of the road network compatible with specifications of such vehicles. **Member States should establish a monitoring system to evaluate** the impacts of the use of EMS on road safety, on the road infrastructure, on modal cooperation, as well as the environmental impacts of European Modular Systems on the transport system, including the impacts on modal share. **The clear definition of EMS in this Directive guarantees that EMS are composed of standard vehicle units to ensure compatibility with other transport modes, notably rail. To effectively drive the transition towards zero-emission mobility, EMS engaged in international traffic should, as soon as technically and operationally feasible, be composed of zero-emissions vehicles or vehicle combinations.**

Recital 9 a (new)

Text proposed by the Commission

Amendment

(9a) To maximise road safety and proper working conditions, it is important to ensure that drivers of EMS have adequate training and the qualifications required for handling heavier and longer vehicles and vehicle combinations. Member States should have the possibility to establish minimum requirements or a certification scheme for drivers of EMS. In order to ensure a level playing field that provides for equal treatment, and non-discrimination, of drivers and operators of EMS, Member States should guarantee that these certifications are mutually recognised in the concerned Member States.

Recital 10 a (new)

Text proposed by the Commission

Amendment

(10a) The new harmonised rules for EMS in national and international traffic

in Member States which allow their circulation should entail the gathering of data on road safety in those Member States, including the share of fatalities and injuries from collisions. Taking into account that vulnerable road users account for nearly one third of the deaths in collisions involving heavy-duty vehicles, Member States should make sure that EMS do not negatively impact road safety, particularly the safety of vulnerable road users such as pedestrians and cyclists as well as motor-cyclists and persons with disabilities or reduced mobility and orientation.

COMPROMISE AMENDMENT 11 - NATIONAL EXEMPTIONS

Supported by:

The following AMs are covered or fall: 129, 130, 131, 132, 141,142, 143, 144, 145, 146, 147, 148, 165, 167

Article 1 – paragraph 1 – point 3 – point b
Article 4 - paragraph 4

Text proposed by the Commission

Amendment

4. Member States may allow vehicles or vehicle combinations used for transport which carry out certain national transport operations that do not significantly affect international competition in the transport sector to circulate in their territory with dimensions deviating from those laid down in points 1.1, 1.2, 1.4 to 1.8, 4.2 and 4.4 of Annex I.

Transport operations shall be considered not significantly to affect international competition in the transport sector if one of the following conditions is fulfilled:

- (a) the transport operations are carried out in a Member State's territory by specialized vehicles or specialized vehicle combinations in circumstances in which they are not normally carried out by vehicles from other Member States, e.g.

4. Member States may allow vehicles or vehicle combinations used for transport which carry out certain national **or international** transport operations that do not significantly affect international competition in the transport sector to circulate in their territory with **weights or** dimensions deviating from those laid down in points 1.1, 1.2, **1.3**, 1.4 to 1.8, **2, 4.1**. 4.2 and 4.4 of Annex I.

Transport operations shall be considered not significantly to affect international competition in the transport sector if one of the following conditions is fulfilled:

- (a) the transport operations are carried out in a Member State's territory by specialized vehicles or specialized vehicle combinations in circumstances in which they are not normally carried out by

- operations linked to logging and the forestry industry;
- (b) the Member State which permits transport operations to be carried out in its territory by vehicles or vehicle combinations with dimensions deviating from those laid down in Annex I also permits the circulation of European Modular Systems pursuant to paragraph 4a, so as to achieve at least the loading length authorised in that Member State, and so that every operator may benefit from equal conditions of competition.

- vehicles from other Member States, e.g. operations linked to logging and the forestry industry;
- (b) the Member State which permits transport operations to be carried out in its territory by vehicles or vehicle combinations with dimensions deviating from those laid down in Annex I also permits the circulation of European Modular Systems pursuant to paragraph 4a, so as to achieve at least the loading length authorised in that Member State, and so that every operator may benefit from equal conditions of competition.

Recital 7

Text proposed by the Commission

- (7) To ensure a common understanding and uniform implementation of the provisions of this Directive in national and international traffic, it is necessary to clarify that the ***national*** derogations from certain maximum permitted weights and dimensions limits for certain types of vehicles ***circulating in national traffic do not automatically apply to vehicles used in cross-border operations.***

Amendment

- (7) To ensure a common understanding and uniform implementation of the provisions of this Directive in national and international traffic, it is necessary to clarify that ***there are currently specific*** derogations, ***often on the basis of bilateral understandings between neighbouring Member States,*** from certain maximum permitted weights and dimensions limits for certain types of ***specialized*** vehicles ***performing transport operations, that should be preserved as long as they do not affect international competition***

COMPROMISE AMENDMENT 12 - REVIEW/EVALUATION

Supported by:

The following AMs are covered or fall: 15, 46, 253, 254

Article 1 – paragraph 1 – point 19

Article 10j

(19) Article 10j is *deleted*;

(19) Article 10j is *replaced by the following*:

By 2027, and every 4 years thereafter, the Commission shall present a report to the European Parliament and to the Council, on the application of this Directive. The report shall contain a detailed assessment of the evolution of national and international road transport, including specific characteristics of certain market segments and the impact of that evolution on road safety, the road infrastructure, the functioning of the road transport internal market, the competitiveness of the sector, connectivity, and modal shift. The report may incorporate elements from the report referred to in Article 10g(2).

*In particular, in this report the Commission shall analyse whether the necessary enabling conditions for the market uptake of zero-emission heavy-duty vehicles in the Union, are satisfactorily met for the date referred to in paragraph 3 of Art 4b. **In particular, this report shall assess, among others, the following enabling conditions: the amount of registrations of zero-emission heavy-duty vehicles in Member States, the availability and capacity of appropriate alternative fuels infrastructure and the impact of the European emission trading system on road transport as well as road user charges differentiated by CO2 emissions in Member States.** In addition, this analysis shall assess the enabling conditions for the market uptake of zero-emission vehicles or vehicle combinations of European Modular Systems engaged in international traffic in those Member States allowing their circulation in their territories.*

~~As part of this report, the Commission shall also assess the effectiveness and impact of this Directive, the extent to which the implementation of this Directive has met its objectives and its interaction and compatibility with other relevant Union legislation, including the~~

~~availability of appropriate alternative fuels infrastructure, the impact of the emission trading systems on road transport as well as road user charges.~~

In addition, the report shall analyse the use of the Intelligent Access Policy (IAP) schemes in regards to enforcement, taking into account their availability and cost-efficiency. Furthermore, the report shall inform on technological advancements in the area of road transport which are relevant, including with regards to new technologies or new concepts and aerodynamic devices, as well as trailers or semi-trailers with zero-emission technology.

As part of this report, the Commission shall also assess the effectiveness and impact of this Directive, the extent to which the implementation of this Directive has met its objectives and its interaction and compatibility with other relevant Union legislation.

On the basis of the findings in these assessments above, the report shall, where appropriate, be accompanied by a legislative proposal to amend this Directive.

Recital 23 a (new)

Text proposed by the Commission

Amendment

(23a) In order to assess the effectiveness and efficiency of this Directive and in order to measure progress against its specific objectives, it is important to regularly evaluate its implementation and impact. Therefore, the Commission should present regular assessment reports on the application of this Directive, based on the enabling conditions for the market uptake of zero-emission heavy duty vehicles, such as the availability and capacity of appropriate alternative fuels infrastructure, the impact of the

European systems on road transport as well as road user charges differentiated by CO2 emissions in Member States. These reports should contain detailed information on these enabling conditions, and on the evolution of national and international road transport, the impact on road safety and road infrastructure, modal shift, the use of smart enforcement systems, and technological advancements on road transport.

Additionally, the reports should consider the scalability of measures in alignment with the long-term goals of the Directive.

On the basis of the findings in these assessments, the report should, where appropriate, be accompanied by a legislative proposal to amend this Directive and the obligations established therein.

COMPROMISE AMENDMENT 13 - DEFINITIONS

Supported by:

The following AMs are covered or fall: 49, 113, 114, 115, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 256

Article 1 – paragraph 1 – point 2 – point a Article 2 – second indent

Text proposed by the Commission

— ‘trailer’ shall mean a vehicle as defined in Article 3(17) of Regulation (EU) 2018/858;

Amendment

— ‘trailer’ shall mean a vehicle as defined in Article 3(17) of Regulation (EU) 2018/858;

Article 1 – paragraph 1 – point 2 – point b Article 2 – third indent

Text proposed by the Commission

— ‘semi-trailer’ shall mean a vehicle as defined in Article 3(33) of Regulation

Amendment

— ‘semi-trailer’ shall mean a vehicle as defined in Article 3(33) of Regulation

(EU) 2018/858;

(EU) 2018/858;

Article 1 – paragraph 1 – point 2 – point e
Article 2 – fourteenth indent

Text proposed by the Commission

— ‘alternatively fuelled vehicle’ shall mean a motor vehicle powered wholly by an alternative fuel and which has been approved under the framework of Regulation (EU) 2018/858;

Amendment

— ‘alternatively fuelled vehicle’ shall mean a motor vehicle powered wholly **or in part** by an alternative fuel and which has been approved under the framework of Regulation (EU) 2018/858;

COMPROMISE AMENDMENT 14 - AMENDING OTHERS ACTS

Supported by:

The following AMs are covered or fall: 88, 90, 229, 235, 257, 262, 263, 264

Recital 19a (new)

Text proposed by the Commission

Amendment

(19a) The Commission should review the current type approval legislation in order to strengthen the technical and operational compatibility of new heavy duty vehicles and vehicle combinations, inter alia concerning their weight, shape, size, craneability, and retractability and foldability of protruding devices, with the requirements of combined transport operations, as well as to facilitate the use and uptake of zero-emission trailers and semi-trailers;

COMPROMISE AMENDMENT 15 - PHASE-OUT 44T

Supported by:

The following AMs are covered or fall: 6, 27, 78, 79, 80, 81, 82, 83, 84, 185, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208

Article 4b

Text proposed by the Commission

1. Whenever a Member State, pursuant to Article 4(2), point (a), allows the circulation within its territory of vehicle combinations with a maximum weight exceeding the limits set out in points 2.2.1 or 2.2.2 of Annex I, it may not reject or prohibit the use in its territory in international traffic of those vehicle combinations complying with the weight values set for the national transport of goods, provided that such vehicle combinations do not have a maximum authorised weight exceeding 44 tonnes.
2. By way of derogation from paragraph 1, the 44 tonnes-weight limit set out in paragraph 1 may be exceeded in case the Member State allows higher weight values to those vehicle combinations when involved in an intermodal transport operation.
3. In view of the expected increase in the uptake of zero-emission vehicles, this Article shall apply until 31 December 2034.;

Recital 12

Text proposed by the Commission

(12) The artificial barriers to the cross-border transport of heavier lorries primarily used in long distance transport (such as vehicle combinations with 5 and 6 axles), should be removed in a harmonised way to take advantage in the short term of the operational, energy and environmental efficiency linked to the greater loading capacity granted by the Member States, including for intermodal transport. To effectively drive the transition towards zero-emission mobility, it is necessary to phase out the use of such heavier lorries running on fossil fuels, as of 2035, **when** the market penetration of zero-emission

Amendment

1. Whenever a Member State, pursuant to Article 4(2), point (a), allows the circulation within its territory of vehicle combinations with a maximum weight exceeding the limits set out in points 2.2.1 or 2.2.2 of Annex I, it may not reject or prohibit the use in its territory in international traffic of those vehicle combinations complying with the weight values set for the national transport of goods, provided that such vehicle combinations do not have a maximum authorised weight exceeding 44 tonnes.
2. By way of derogation from paragraph 1, the 44 tonnes-weight limit set out in paragraph 1 may be exceeded in case the Member State allows higher weight values to those vehicle combinations when involved in an intermodal transport operation.
3. In view of the expected increase in the uptake of zero-emission vehicles, this Article shall apply until 31 December 2034.;

Amendment

(12) The artificial barriers to the cross-border transport of heavier lorries primarily used in long distance transport (such as vehicle combinations with 5 and 6 axles), should be removed in a harmonised way to take advantage in the short term of the operational, energy and environmental efficiency linked to the greater loading capacity granted by the Member States, including for intermodal transport. To effectively drive the transition towards zero-emission mobility **and maximise the effects of relevant existing environmental law** it is necessary to phase out the use of such heavier lorries running on fossil fuels,

HDVs *is projected to increase significantly up to around 50% of new HDV registrations*. After the phasing out, heavier lorries should continue to be allowed in national traffic while, in international traffic, they should comply with the maximum authorised weights set up in Annex I to Directive 96/53/EC, which limits the extra weight allowance to zero-emission vehicles and to vehicles involved in an intermodal transport operation.

as of 2035, *to strengthen legal certainty for investments and to further encourage the market penetration of more efficient zero-emission HDVs*. After the phasing out, heavier lorries should continue to be allowed in national traffic while, in international traffic, they should comply with the maximum authorised weights set up in Annex I to Directive 96/53/EC, which limits the extra weight allowance to zero-emission vehicles and to vehicles involved in an intermodal transport operation.

COMPROMISE AMENDMENT 16 - ANNEX & ARTICLE 10c

Supported by:

The following AMs are covered or fall: 49, 50, 93, 104, 105, 106, 107, 108, 231, 236, 237, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304

Proposal for a directive Annex I - table

Text proposed by the Commission

1. Maximum authorised dimensions for the vehicles referred to in Article 1(1), point (a)		
1.1 Maximum length		
	— motor vehicle other than a bus	12,00 m
	— trailer	12,00 m
	— articulated vehicle	16,50 m
	— road train	18,75 m
	— articulated bus	18,75 m
	— bus with two axles	13,50 m

	— bus with more than two axles	15,00 m
	— bus + trailer	18,75 m
1.2 Maximum width:		
	(a) all vehicles except vehicles referred to in point (b)	2,55 m
	(b) superstructures of conditioned vehicles or conditioned containers or swap bodies transported by vehicles	2,60 m
1.3 Maximum height		
	— any vehicle	4,00 m
	— vehicles or vehicle combinations carrying in intermodal transport one or more containers with a standard external height of 9' 6'' (high-cube containers)	4,30 m
1.4 Removable superstructures and standardised freight items such as containers are included in the dimensions specified in points <u>1.1, 1.2, 1.3, 1.6, 1.7, 1.8 and 4.4.</u>		
1.4a If any removable attachments such as ski-boxes are fitted to a bus, its length, including the attachments, must not exceed the maximum length laid down in point 1.1.		
1.5 Any motor vehicle or vehicle combination which is in motion must be able to turn within a swept circle having an outer radius of 12,50 m and an inner radius of 5,30 m		
1.5a Additional requirements for buses		
	With the vehicle stationary, a vertical plane tangential to the side of the vehicle and facing outwards from the circle shall be established by marking a line on the ground. In the case of an articulated vehicle, the two rigid portions shall be aligned with the plane.	
	When the vehicle moves from a straight line approach into the circular area described in point 1.5, no part of it shall move outside of that vertical plane by more than 0,60 m	
1.6 Maximum distance between the axis of the fifth-wheel king pin and the rear of a semi-trailer.		12,00 m
1.7 Maximum distance measured parallel to the longitudinal axis of the road train from the foremost external point of the loading area behind the cabin to the rearmost external point of the trailer of the combination, minus the distance between the rear of the drawing vehicle and the front of the trailer.		15,65 m

1.8 Maximum distance measured parallel to the longitudinal axis of the road train from the foremost external point of the loading area behind the cabin to the rearmost external point of the trailer of the combination.		16,40 m		
2. Maximum authorised vehicle weight				
2.1 Vehicles forming part of a vehicle combination				
	2.1.1	Two-axle trailer	18 tonnes	
	2.1.2	Three-axle trailer	24 tonnes	
2.2 Vehicle combinations				
	2.2.1	Road trains with five or six axles		
		(a)	two-axle motor vehicle with three-axle trailer	40 tonnes
		(b)	three-axle motor vehicle with two or three-axle trailer	40 tonnes
	2.2.2	Articulated vehicles with five or six axles		
		(a)	two-axle motor vehicle with three-axle semi-trailer	40 tonnes
		(b)	three-axle motor vehicle with two or three-axle semi-trailer	40 tonnes
		(c)	two-axle motor vehicle with three-axle semi-trailer involved in intermodal transport operations	42 tonnes
		(d)	three-axle motor vehicle with two- or three-axle semi-trailer involved in intermodal transport operations	44 tonnes
	2.2.3	Road trains with four axles consisting of a two-axle motor vehicle and a two-axle trailer		36 tonnes
	2.2.4	Articulated vehicles with four axles consisting of a two-axle motor vehicle and a two-axle semi-trailer, if the distance between the axles of the semi-trailer:		
		2.2.4.1	is 1,3 m or greater but not more than 1,8 m	36 tonnes
		2.2.4.2	is greater than 1,8 m	36 tonnes
		In case the maximum authorised weight (MAW) of the motor vehicle (18 tonnes) and the MAW of the tandem axle of the semi-trailer (20 tonnes) are respected and the driving axle is fitted with twin tyres and air suspension or suspension recognised as being equivalent within the Union as defined in Annex II the maximum authorised weight provided for in point 2.2.4.2 shall be increased by 2 tonnes.		

<p>In the case of vehicle combinations including alternatively fuelled vehicles other than zero-emission vehicles, the maximum authorised weights provided for in Sub-section 2.2 shall be increased by the additional weight of the alternative fuel technology with a maximum of 1 tonne.</p>		
<p>In the case of vehicle combinations including zero-emission vehicles the maximum authorised weights provided for in Sub-section 2.2.1 and 2.2.2 shall be increased by 4 tonnes.</p>		
<p>In the case of vehicle combinations including zero-emission vehicles the maximum authorised weights provided for in in Sub-section 2.2.3 and 2.2.4 shall be increased by 2 tonnes.</p>		
<p>2.3 Motor vehicles</p>		
2.3.1	Two-axle motor vehicles other than buses:	18 tonnes
2.3.2	two-axle buses:	19,5 tonnes
2.3.3	Three-axle motor vehicles:	25 tonnes
2.3.4	Three-axle motor vehicles where the driving axle is fitted with twin tyres and air suspension or suspension recognised as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and the maximum weight of each axle does not exceed 9,5 tonnes.	26 tonnes
2.3.5	Four-axle motor vehicles with two steering axles where the driving axle is fitted with twin tyres and air suspension or suspension recognized as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and the maximum weight of each axle does not exceed 9,5 tonnes	32 tonnes
2.3.6	Five-axle motor vehicles with two steering axles where the driving axle is fitted with twin tyres and air suspension or suspension recognized as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and the maximum weight of each axle does not exceed 9,5 tonnes.	40 tonnes
<p>In the case of alternatively fuelled vehicles other than zero-emission vehicles, the maximum authorised weights provided for in points 2.3.1, 2.3.3 and 2.3.4 of Sub-section 2.3 shall be increased by the additional weight of the alternative fuel technology with a maximum of 1 tonne.</p>		
<p>In the case of zero-emission vehicles, the maximum authorised weights provided for in Sub-section 2.3 shall be increased by 2 tonnes.</p>		
<p>2.4 Three-axle articulated buses</p>		28 tonnes
<p>In the case of alternatively fuelled vehicles other than zero-emission vehicles, the maximum authorised weight of 28 tonnes provided for in Sub-section 2.4 is increased by the additional weight required for the alternative fuel technology with a maximum of 1 tonne.</p>		

	In the case of zero-emission vehicles the maximum authorised weight of 28 tonnes provided for in Sub-section 2.4 is increased by 2 tonnes		
3 Maximum authorised axle weight of the vehicles referred to in Article 1 (1), point (b)			
3.1 Single axles			
	Single non-driving axle	10 tonnes	
3.2 Tandem axles of trailers and semi-trailers			
	The sum of the axle weights per tandem axle must not exceed, if the distance (d) between the axles is:		
	3.2.1	less than 1 m ($d < 1,0$)	11 tonnes
	3.2.2	between 1,0 m and less than 1,3 m ($1,0 \leq d < 1,3$)	16 tonnes
	3.2.3	between 1,3 m and less than 1,8 m ($1,3 \leq d < 1,8$)	18 tonnes
	3.2.4	1,8 m or more ($1,8 \leq d$)	20 tonnes
3.3 Tri-axles of trailers and semi-trailers			
	The sum of the axle weights per tri-axle must not exceed, if the distance (d) between the axles is:		
	3.3.1	1,3 m or less ($d \leq 1,3$)	21 tonnes
	3.3.2	over 1,3 m and up to 1,4 m ($1,3 < d \leq 1,4$)	24 tonnes
3.4 Driving axle			
	3.4.1	Driving axle of the vehicles referred to in points 2.2, 2.3 and 2.4 other than zero-emission vehicles	11,5 tonnes
	3.4.2	Driving axle of zero-emission vehicles referred to in points 2.2.1 and 2.2.2	12.5 tonnes
	3.4.3	Zero-emission two-axle buses	12.5 tonnes
3.5 Tandem axles of motor vehicles			
	The sum of the axle weights per tandem axle must not exceed, if the distance (d) between the axles is:		
	3.5.1	less than 1 m ($d < 1,0$)	11,5 tonnes
	3.5.2	1,0 m or greater but less than 1,3 m ($1,0 \leq d < 1,3$)	16 tonnes
	3.5.3	1,3 m or greater but less than 1,8 m ($1,3 \leq d < 1,8$)	18 tonnes
		Where the driving axle is fitted with twin tyres and air suspension or suspension recognised as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and where the maximum weight for each axle does not exceed 9,5 tonnes	19 tonnes
4. Related characteristics of the vehicles referred to in Article 1(1), point (b)			

4.1 All vehicles	
	The weight borne by the driving axle or driving axles of a vehicle or vehicle combination must not be less than 25 % of the total laden weight of the vehicle or vehicle combination, when used in international traffic
4.2 Road trains	
	The distance between the rear axle of a motor vehicle and the front axle of a trailer must not be less than 3,00 m
4.3 Maximum authorised weight depending on the wheelbase	
	The maximum authorised weight in tonnes of a four-axle motor vehicle may not exceed five times the distance in metres between the axles of the foremost and rearmost axles of the vehicle
4.4 Semi-trailers	
	The distance measured horizontally between the axis of the fifth-wheel king pin and any point at the front of the semi-trailer must not exceed 2,04 m

Amendment

1. Maximum authorised dimensions for the vehicles referred to in Article 1(1), point (a)		
1.1 Maximum length		
	— motor vehicle other than a bus	12,00 m
	— trailer	12,00 m
	— articulated vehicle	16,50 m
	— road train	18,75 m
	— articulated bus <i>with three axles</i>	18,75 m
	— <i>articulated bus with four axles</i>	21,00 m
	— bus with two axles	13,50 m
	— bus with more than two axles	15,00 m
	— bus + trailer	18,75 m

1.2 Maximum width:		
	(a) all vehicles except vehicles referred to in point (b)	2,55 m
	(b) superstructures of conditioned vehicles or conditioned containers or swap bodies transported by vehicles	2,60 m
1.3 Maximum height		
	— any vehicle	4,00 m
	— vehicles or vehicle combinations carrying in intermodal transport one or more containers with a standard external height of 9' 6'' (high-cube containers)	4,30 m
1.4 Removable superstructures and standardised freight items such as containers are included in the dimensions specified in points <u>1.1, 1.2, 1.3, 1.6, 1.7, 1.8 and 4.4.</u>		
1.4a If any removable attachments such as ski-boxes are fitted to a bus, its length, including the attachments, must not exceed the maximum length laid down in point 1.1.		
1.5 Any motor vehicle or vehicle combination which is in motion must be able to turn within a swept circle having an outer radius of 12,50 m and an inner radius of 5,30 m		
1.5a Additional requirements for buses		
	With the vehicle stationary, a vertical plane tangential to the side of the vehicle and facing outwards from the circle shall be established by marking a line on the ground. In the case of an articulated vehicle, the two rigid portions shall be aligned with the plane.	
	When the vehicle moves from a straight line approach into the circular area described in point 1.5, no part of it shall move outside of that vertical plane by more than 0,60 m	
1.6 Maximum distance between the axis of the fifth-wheel king pin and the rear of a semi-trailer.	12,00 m	
1.7 Maximum distance measured parallel to the longitudinal axis of the road train from the foremost external point of the loading area behind the cabin to the rearmost external point of the trailer of the combination, minus the distance between the rear of the drawing vehicle and the front of the trailer.	15,65 m	
1.8 Maximum distance measured parallel to the longitudinal axis of the road train from the foremost external point of the loading area behind the cabin to the rearmost external point of the trailer of the combination.	16,40 m	
2. Maximum authorised vehicle weight		

2.1 Vehicles forming part of a vehicle combination			
	2.1.1	Two-axle trailer	18 tonnes
	2.1.2	Three-axle trailer	24 tonnes
2.2 Vehicle combinations			
	2.2.1	Road trains with five or six axles	
		(a) two-axle motor vehicle with three-axle trailer	40 tonnes
		(b) three-axle motor vehicle with two or three-axle trailer	40 tonnes
	2.2.2	Articulated vehicles with five or six axles	
		(a) two-axle motor vehicle with three-axle semi-trailer	40 tonnes
		(b) three-axle motor vehicle with two or three-axle semi-trailer	40 tonnes
		(c) two-axle motor vehicle with three-axle semi-trailer involved in intermodal transport operations	44 tonnes
		(d) three-axle motor vehicle with two- or three-axle semi-trailer involved in intermodal transport operations	44 tonnes
	2.2.3	Road trains with four axles consisting of a two-axle motor vehicle and a two-axle trailer	36 tonnes
	2.2.4	Articulated vehicles with four axles consisting of a two-axle motor vehicle and a two-axle semi-trailer, if the distance between the axles of the semi-trailer:	
	2.2.4.1	is 1,3 m or greater but not more than 1,8 m	36 tonnes
	2.2.4.2	is greater than 1,8 m	36 tonnes
		In case the maximum authorised weight (MAW) of the motor vehicle (18 tonnes) and the MAW of the tandem axle of the semi-trailer (20 tonnes) are respected and the driving axle is fitted with twin tyres and air suspension or suspension recognised as being equivalent within the Union as defined in Annex II the maximum authorised weight provided for in point 2.2.4.2 shall be increased by 2 tonnes.	
	In the case of vehicle combinations including alternatively fuelled <i>motor</i> vehicles other than zero-emission <i>motor</i> vehicles, the maximum authorised weights provided for in Sub-section 2.2 shall be increased by the additional weight of the alternative fuel technology with a maximum of 1 tonne.		
	In the case of vehicle combinations including zero-emission <i>motor</i> vehicles the maximum authorised weights provided for in Sub-section 2.2.1 and 2.2.2 shall be increased by 4 tonnes.		

	In the case of vehicle combinations including zero-emission motor vehicles the maximum authorised weights provided for in in Sub-section 2.2.3 and 2.2.4 shall be increased by 2 tonnes.	
	<i>In the case of vehicle combinations including trailers or semi-trailers with zero-emission technology the maximum authorised weights provided for in Sub-section 2.2.1, 2.2.2, 2.2.3 and 2.2.4 shall be increased by 2 tonnes.</i>	
2.3 Motor vehicles		
2.3.1	Two-axle motor vehicles other than buses:	18 tonnes
2.3.2	two-axle buses:	19,5 tonnes
2.3.3	Three-axle motor vehicles:	25 tonnes
2.3.4	Three-axle motor vehicles where the driving axle is fitted with twin tyres and air suspension or suspension recognised as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and the maximum weight of each axle does not exceed 9,5 tonnes.	26 tonnes
2.3.5	Four-axle motor vehicles with two steering axles where the driving axle is fitted with twin tyres and air suspension or suspension recognized as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and the maximum weight of each axle does not exceed 9,5 tonnes	32 tonnes
2.3.6	Five-axle motor vehicles with two steering axles where the driving axle is fitted with twin tyres and air suspension or suspension recognized as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and the maximum weight of each axle does not exceed 9,5 tonnes.	40 tonnes
	In the case of alternatively fuelled motor vehicles other than zero-emission motor vehicles, the maximum authorised weights provided for in points 2.3.1, 2.3.3 and 2.3.4 of Sub-section 2.3 shall be increased by the additional weight of the alternative fuel technology with a maximum of 1 tonne.	
	In the case of zero-emission motor vehicles, the maximum authorised weights provided for in Sub-section 2.3 shall be increased by 2 tonnes.	
2.4 Three-axle articulated buses		28 tonnes
2.5 Four-axle articulated buses		32 tonnes
	In the case of alternatively fuelled motor vehicles other than zero-emission motor vehicles, the maximum authorised weights provided for in Sub-sections 2.4 and 2.5 are increased by the additional weight required for the alternative fuel technology with a maximum of 1 tonne.	
	In the case of zero-emission motor vehicles the maximum authorised weights provided for in Sub-sections 2.4 and 2.5 are increased by 2 tonnes.	

3 Maximum authorised axle weight of the vehicles referred to in Article 1 (1), point (b)		
3.1 Single axles		
	Single non-driving axle	10 tonnes
3.2 Tandem axles of trailers and semi-trailers		
	The sum of the axle weights per tandem axle must not exceed, if the distance (d) between the axles is:	
3.2.1	less than 1 m ($d < 1,0$)	11 tonnes
3.2.2	between 1,0 m and less than 1,3 m ($1,0 \leq d < 1,3$)	16 tonnes
3.2.3	between 1,3 m and less than 1,8 m ($1,3 \leq d < 1,8$)	18 tonnes
3.2.4	1,8 m or more ($1,8 \leq d$)	20 tonnes
3.3 Tri-axles of trailers and semi-trailers		
	The sum of the axle weights per tri-axle must not exceed, if the distance (d) between the axles is:	
3.3.1	1,3 m or less ($d \leq 1,3$)	21 tonnes
3.3.2	over 1,3 m and up to 1,4 m ($1,3 < d \leq 1,4$)	24 tonnes
3.4 Driving axle		
3.4.1	Driving axle of the vehicles referred to in points 2.2, 2.3 and 2.4 other than zero-emission vehicles	11,5 tonnes
3.4.2	Driving axle of zero-emission vehicles referred to in points 2.2.1 and 2.2.2	12.5 tonnes
3.4.3	Zero-emission two-axle buses	12.5 tonnes
3.4.4	<i>Zero-emission three-axle buses</i>	<i>12.5 tonnes</i>
3.5 Tandem axles of motor vehicles		
	The sum of the axle weights per tandem axle must not exceed, if the distance (d) between the axles is:	
3.5.1	less than 1 m ($d < 1,0$)	11,5 tonnes
3.5.2	1,0 m or greater but less than 1,3 m ($1,0 \leq d < 1,3$)	16 tonnes
3.5.3	1,3 m or greater but less than 1,8 m ($1,3 \leq d < 1,8$)	18 tonnes
	Where the driving axle is fitted with twin tyres and air suspension or suspension recognised as being equivalent within the Union as defined in Annex II, or where each driving axle is fitted with twin tyres and where the maximum weight for each axle does not exceed 9,5 tonnes. <i>In case of zero-emission motor vehicles, the maximum sum of the axle weights per tandem axle shall be increased by 1 tonne.</i>	19 tonnes
3.6 Tri-axles of motor vehicles		

	<i>The sum of the axle weights per tri-axes must not exceed, if the distance (d) between the axles is:</i>		
	3.6.1	<i>less than 1,3 m ($d < 1,3$)</i>	21 tonnes
	3.6.2	<i>1,3 m or greater but less than 1,8 m ($1,3 \leq d < 1,8$)</i>	24 tonnes
4. Related characteristics of the vehicles referred to in Article 1(1), point (b)			
4.1 All vehicles			
	The weight borne by the driving axle or driving axles of a vehicle or vehicle combination must not be less than 25 % of the total laden weight of the vehicle or vehicle combination, when used in international traffic		
4.2 Road trains			
	The distance between the rear axle of a motor vehicle and the front axle of a trailer must not be less than 3,00 m		
4.3 Maximum authorised weight depending on the wheelbase			
	The maximum authorised weight in tonnes of a four-axle <i>or five-axle</i> motor vehicle may not exceed five times the distance in metres between the axles of the foremost and rearmost axles of the vehicle		
4.4 Semi-trailers			
	The distance measured horizontally between the axis of the fifth-wheel king pin and any point at the front of the semi-trailer must not exceed 2,04 m		

Article 1 – paragraph 1 – point 10

Article 10c

Text proposed by the Commission

The maximum lengths laid down in point 1.1 of Annex I, subject where applicable to Article 9a(1) and 10b(2), and the maximum distance laid down in point 1.6 of Annex I, may be exceeded by 15 cm for vehicles or vehicle combinations engaged in the transport of 45-foot containers or 45-foot swap bodies, empty or loaded, provided that the road transport of the container or swap body in question is part of an intermodal transport operation.;

Amendment

In the case of vehicles or vehicle combinations engaged in an intermodal transport operation, the maximum length laid down in point 1.1 of Annex I for an articulated vehicle, subject where applicable to Article 9a(1) and 10b(2), shall be of 18,00 m and the maximum distance laid down in point 1.6 of Annex I shall be of 13,50 m;

Recital 19

Text proposed by the Commission

(19) To promote the growth of multimodal transportation system, containerised transport should be further facilitated by allowing extra height to road vehicles to transport **high-cube** containers.

Amendment

(19) To promote the growth of multimodal transportation system, containerised transport, **including those using 45-foot or 48-foot containers, 45-foot swap bodies or high-cube containers**, should be further facilitated by allowing extra height **and length** to road vehicles to transport **these** containers.

Agence Europe